The Evolving Role of the Pharmacist in the Healthcare System

Melissa J. Snider, PharmD, BCPS, CLS
Manager, Pharmacy Ambulatory Care
Specialty Practice Pharmacist, Ambulatory Care
Clinical Assistant Professor, The OSU College of Pharmacy
Richard M. Ross Heart Hospital
The Ohio State University Wexner Medical Center

Objectives

- To describe why and how healthcare is evolving
- To recognize challenges or barriers to change
- To report examples of non-dispensing pharmacist roles and associated outcomes
- · To review the timeline of the evolution
- To understand national and state policy
- To consider next steps for the role of the pharmacist

What is a pharmacist?

· Per Wikipedia on "Pharmacists":



What is a pharmacist?

- · Per Wikipedia on "Pharmacists":
 - Focus on safe and effective medication use
 - Mortar and pestle
 - · Apothecary, chemists, druggists



What is a pharmacist?

- · Per Wikipedia on "Pharmacists":
 - Focus on safe and effective medication use



"The role of the pharmacist has shifted from the classical 'lick, stick, and pour' dispensary role, to being an integrated member of the health care team directly involved in patient care."





Why the evolution?



- Evolving Health Care
- Improving quality of life
 - Improving health outcomes
 - · Ensuring cost-effectiveness
- Proper medication use is essential
 - ~81% of adults take ≥ 1 chronic med
 - ~28% of adults ≥ 65 yotake ≥ 5 chronic meds
 - ~30% of children take ≥ 1 chronic med
 - ~ 4 billion prescriptions/year

http://www.pharmacy.ohio-state.edu/forms/outreach/intro-topharmacy/Evolving_Scope_of_Pharmacy_Practice.pdf http://www.pharmacist.com/sites/default/files/files/Provider%20Status%20FactSheet_Fi nal.pdf

American Journal of Pharmaceutical Education 2010; 74 (10)Article S7.

Why the evolution?

- Improper use of medications in US annually
 - · Treatment of chronic conditions
 - \$1.7 trillion
 - ~ \$0.75 of every \$1.00
 - > 1.5 million preventable med-related adverse events
 - ~ \$290 billion in "mostly avoidable" costs to treat inappropriate med use adverse events
 - Non-adherence results in \$100 billion in excess hospitalizations

http://www.pharmacist.com/sites/default/files/files/Provider%20Status%20FactSheet_Final.pdf

Why the evolution?

- Increasing patient complexity = Increased demand
 - · Access to providers
 - · Manage patients' medication therapy
 - · Identify adverse events
 - · Manage drug-related problems
 - · Vital role in quality prevention
 - · Demand for intensive primary care
 - Coordination, management, and integration of chronic disease care following acute episodes

Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Why the evolution?

- · Physician shortage
 - By 2020, shortage of > 91,500 physicians
 - By 2025, shortage to grow to > 130,600
 - Equally distributed among primary care and medical specialties



Why the evolution?

- · Affordable Care Act
 - Signed March 2010
 - · Increased access to insurance
 - Payment structure changing from volume to value
 - Creates opportunities for expanding role for pharmacists

Affordable Care Act (ACA)

- Affordable care organizations (ACO) & Patient-centered medical homes (PCMH)
 - ✓ Optimization of every patient's medication therapy is a core element of our future health care system
- Hospital
 - ✓ Collaboration with ambulatory clinics & community pharmacies
 - √ Provide medication reconciliation
 - ✓ Pharmacists in reducing readmissions

http://www.pharmacist.com/aca-new-opportunities-hospital-pharmacists

Why pharmacy??

- Comprehensive and unique education and training
- · Pharmacists as part of Health care team =
 - · Improved patient outcomes
 - 1 patient satisfaction
 - ↓ overall health care costs
- · Interdisciplinary approach evidence
- Accessibility
- Strong patient educators and patient coaches

Barriers to evolution: 7 P's

- · Perception/Perspective
- Personality
- Preparation
- Policy
- Privileging
- · Provider Status
- Payment



P's - Perception/Perspective

- 2009 WV Physician Survey
 - Overall positive attitude toward collaborative practice
 - · Physician more likely to support MTM if
 - Primary Care
 - · Fewer years of practice
 - Female
 - · Physicians less likely to support MTM
 - †frequency of physician-pharmacist communication
 - · Suspected due to refill/technical based contact

Alkhateeb FM. J Am Pharm Assoc (2003). 2009 Nov-Dec;49(6):797-800

P's - Perception/Perspective

- 2008 Family Physicians on Collaborative Practice
 - · Operational & integration challenges recognized
 - · Clinical benefits seen
 - · Access to reliable drug information
 - · Fresh perspectives
 - ↑Security in med prescribing
- 2013 Consumers and PCPs
 - Difficult for most to envision pharmacists practicing in non-dispensing roles

Pottie K, Farrell B, Haydt S, Dolovich L, Sellors C, et al. Integrating pharmacists into family practice teams. Can Fam Physician. 2008;54:1714-5.e1-5.

Smith M. Res Social Adm Pharm. 2013 Sep 19.

P's - Personality

2013 Survey of Hospital Pharmacists in Canada

Change Change

Stability

- · Stronger expression of
 - Extraversion
 - Agreeableness
 - Conscientiousness
 - Openness
- · Low levels of Neuroticism
- Conclusion: Stability in personality

http://ideaswar.com/change-and-stability-relationship-in-organizational-change/ Hall J. Can J Hosp Pharm. 2013 Sep;66(5):289-95


P's - Preparation: Education

- Per IOM
 - "All health professionals should be educated to deliver patient-centered care as members of an interdisciplinary team, emphasizing evidencebased practice, quality improvement approaches, and informatics"
- · CAPE Outcomes and ACPE Accreditation Standards
 - Educational competencies of NPs, Pas, and PharmDs
 - · Much commonality
 - · More therapeutics for pharmacists
 - · More diagnostic skills for NPs and PAs

Per Institute of Medicine Committee on the Health Professions Education Summit. Health Professions Education: A Bridge to Quality. Greiner AC, Knebel E, eds. Washington, DC: National Academies Press; 2003.

P's - Preparation: Postgraduate

- Residency
 - · Since1930s
 - · Practice preparation
 - Competitive job market advantage
 - Networking opportunities
 - · Career planning
 - · Professional vision



P's - Preparation: Postgraduate

NCBDE

- · Board Certification
- Traineeships
- · Other certifications
- "Advanced Practice Pharmacist"





P's - Policy

- National: Social Security Act
- State: Collaborative Drug Therapy Management (CDTM)
 - · Team approach
 - · Practice protocols/guidelines define scope
 - · Initiating, modifying, and monitoring drug therapy
 - Ordering and performing laboratory & related tests
 - · Assessing patient response to therapy
 - · Counseling and educating patients
 - · Administering medications
- Local: Institutional policy

Brennan et al. http://www.ashp.org/ DocLibrary/MemberCenter/Clinical SpecialistsandScientists/ AmbulatoryCarePetition.aspx

P's - Privileging

- · Driving forces
 - · Specialized role of pharmacist
 - · Measure of competency and accountability
 - Efficiency
 - Billing
- Collaborative Practice Agreements

Monolakis, et. al. *Am J Pharm Educ*. 2010 December 15; 74(10): S7. Philip B, Weber RJ. Hosp Pharm. 2013 Feb;48(2):160-5.

P's - Privileging

"Through hospital medical staff actively supporting pharmacists' privileging, the national Pharmacy Practice Model Initiative can meet its goal of integrating pharmacists as effective members of the patient care team with tangible accountability for achieving optimal drug therapy outcomes"

ility

Monolakis, et. al. *Am J Pharm Educ*. 2010 December 15; 74(10): S7. Philip B, Weber RJ. Hosp Pharm. 2013 Feb;48(2):160-5.

P's – Provider Status & Payment

PROVIDER STATUS

- Lack of Provider status
 - Limits access to pharmacists' patient care services and achievable benefits
- Payment
 - · Low reimbursement rate relative to physician





Where are we in the process? Example roles Pharmacist-supervised Diabetes Treatment Clinic Disaster Medicine Anticoagulation Management Substance Abuse (prevention, education, and assistance) Hypertension Management Antimicrobial Stewardship Pharmaco-genetic Testing Transplant Clinic Antiarrhythmic Medication Osteoporosis Improving Adherence Medicare Annual Wellness Visits Monitoring Clinic Motivational Interviewing Immunizations ē Protect Your Screening Chronic Disease States Home Care Stent Smoking Cessation e Spirometry Service Obesity Care Medication Safety Pain Management Clinic Drug Information Centers Anemia Clinic Health Information Technology Transition of Care Pediatric Clinics Discharge Counseling Allergy and Asthma Clinic

Geriatric Clinics Emergency Department

Lipid Management Heart Failure

Facilitation of Operation and Leadership Committees

Where are we in the process? Example roles Substance Abuse (prevention, education, and assistance) Pharmacist-supervised Diabetes Treatment Clinic Anticoagulation Management Hypertension Management Disaster Medicine Medicine Antimicrobial Stewardship ø Pharmaco-genetic Testing Antiarrhythmic Medication Monitoring Clinic Transplant Clinic genetic Testing Improving Adherence Screening Chronic Disease States Osteoporosis Clinic Medicare Annual Wellness Visits Smoking Cessation Immunizations **Protect Your** Motivational Interviewing Obesity Care Spirometry Service Home Care Frug Information Centers Discharge Counseling Allergy and Asthma Clinic Facilitation of Operation and Leadership Committees Pain Management Clinic Anemia Clinic Medication Safety Transition of Comprehensive Medication Clinic Health Information Technology Review ø Pediatric Clinics Geriatric Clinics Emergency Department Lipid Management Heart Failure

MTM: Role and Outcomes

- Fairview Health Services
 - Started 1990, standardized 1998, Δ 2006 to MTM: Medication Therapy Management

de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95

MTM: Role and Outcomes "The provision of pharmaceutical care services by a licensed pharmacist to optimize the therapeutic

- · Fairview Health Services
 - Started 1990, standardized 1998,
 ∆ 2006 to MTM:
 Medication Therapy Management

outcomes of the natient's

medications"


de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95


MTM: Role and Outcomes

"The provision of pharmaceutical care services by a licensed pharmacist to optimize the therapeutic outcomes of the patient's medications"

- Fairview Health Services
 - Started 1990, standardized 1998, Δ 2006 to MTM: Medication Therapy Management
 - 10 years of clinical, economic, and humanistic outcomes related MTM
 - 9068 patient records
 - 33,706 documented encounters (mean 3.7 per pt)
 - 33631 drug therapy problems identified and addressed
 - 85% of patients had ≥ 1 drug therapy problem

de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95





MTM: Return on Investment **Health Care Savings** Clinic outpatient visit avoided \$2,913,850 savings total Specialty office visit avoided (\$86 per encounter) Employee work days saved Laboratory service avoided Urgent care visit avoided \$2,258,302 costs total Emergency room visit avoided (\$67 per encounter) Hospital admission avoided Nursing home admissions Home health visit de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95

	Health Care Savings	
\$2,913,850 savings total (\$86 per encounter) \$2,258,302 costs total (\$67 per encounter)	Clinic outpatient visit avoided	
	Specialty office visit avoided	
	Employee work days saved	
	Laboratory service avoided	
	Urgent care visit avoided	
	Emergency room visit avoided	
	Hospital admission avoided	
	Nursing home admissions	
	Home health visit	

MTM outcomes

- · Patient satisfaction
 - 95% of respondents agreed or strongly agreed that their overall health and wellbeing had improved because of MTM
- Conclusion
 - Impact of an MTM program in a large integrated health care system suggest improved clinical, financial, and humanistic outcomes

de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95

Where are we in the process?

- · The healthcare team
 - Each with unique core set of skills & training
 - Services directly impact quality & cost
 - Improved communication and collaboration
- Physicians + Non-physician professionals working together as teams
 - = Patients have improved outcomes



Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Where are we in the process?

- · The healthcare team
 - · Each with unique core set of skills & training
 - Services directly impact quality & cost
 - · Improved communication and collaboration
- Physicians + Non-physician professionals working together as teams
 - = Patients have improved outcomes



Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Healthcare Team outcomes: Kaiser Permanente Colorado Environment

Roles of the Pharmacist

- · Collaborate with health care teams
- · Med-related recommendations to prescribers
- Assist patients in achieving goals
- Specialized pharmacy services
- ID, mental health, oncology, palliative care, solid organ transplant, CVD, anticoagulation
- Provide preventive care
- Immunizations, smoking cessation, MTM
- Drug information
- · Cost-effective prescribing feedback
- Guideline development

Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Healthcare Team outcomes: Kaiser Permanente Colorado Environment

- Anticoagulation
 - Physician-approved guidelines and telépharmacy
 - Pharmacists provide comprehensive anticoagulation services
 - Management of excessive anticoagulation
 - Interruption of anticoagulation therapy for invasive procedures
 - Reduced bleeding complications and adverse

Helling et al. J Am Pharm Assoc. 2006;46:67-76 Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Healthcare Team outcomes: Kaiser Permanente Colorado Environment

- Clinical Pharmacy Cardiac Risk Service (CPCRS)
 - Manage lipid-lowering & antihypertensive
 - · Initiation, dose adjustments, & follow-up labs
 - · Review of 8,014 patients
 - 92% LDL-C levels < 130 mg/dL
 - 73% LDL-C levels < 100 mg/dL
 - \$9 million cost savings over 6-years

Helling et al. J Am Pharm Assoc. 2006;46:67-76 Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

Healthcare Team outcomes: Kaiser Permanente Colorado Environment

- **Clinical Pharmacy International Travel Clinic (CPITC)**
 - Advise pts traveling to international destinations
 - **Discuss prevention**
 - i.e. Traveler's diarrhea & Mosquito-borne diseases
 - Provide info on vaccines to protect travelers
 - Schedule immunizations
 - ~9,500 telephone consultations/year



Helling et al. J Am Pharm Assoc. 2006;46:67-76 Monolakis, et. al. *Am J Pharm Educ*. 2010 December 15; 74(10): S7.

Image from CDC

The Department of Veterans Affairs (VA)

- · Pharmacist role
 - Traditional dispensing
 - Quality assurance



- - Similar to Kaiser
 - · Health information technology
 - Manage VA Drug Formulary
 - Additionally, can prescribe under protocol Anticoag, HTN, HLD, DM, CHF, psychiatry, transplantation

Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.

VA Outcomes: Economic Benefit

Savings Benefit

- For every \$1 invested > \$4 in benefit seen
- \$368,000 savings benefit for <u>each</u> clinical pharmacist

Cost Avoidance

- 600 recommendations, 92% were accepted by providers
- Improved clinical outcomes in >30%
- Avoided harm in 90%
- Cost avoidance ~\$700 each; total savings = \$420,155

Example

- 2007 Pharmacist-run smoking cessation program
- 16% guit rate
- Annual savings = \$691,200; net cost benefit = \$551,200

Patel RJ et al. Am J Managed Care. 1999; 5:465-74 Lee et al. Am J Health-Syst Pharm. 2002; 59:2070-7 Monolakis, et. al. *Am J Pharm Educ*. 2010 December 15; 74(10): S7

Osteoporosis

- · Ukrop's Pharmacy and Wellness Centers
 - · Setting: Community Grocery-Store
 - Health care screenings, MTM services, Disease management, Patient education programs
 - · Pharmacist Role Highlight: Osteoporosis
 - · Perform bone mineral density screening
 - Facilitate identification, education, and referral of patients to collaborative community health management services focused on osteoporosis monitoring and management

Goode J et al. J Am Pharm Assoc. 2004; 44; 2:152-60

Osteoporosis: Ukrop's Screening Outcomes

- · Pt survey of 305 screened 3 to 6 months later
 - · Risk of future fracture
 - 37% high
 - 33% moderate
 - 30% low
 - · 78% no prior knowledge
 - · In the moderate- and high-risk categories
 - 37% scheduled and completed a physician visit
 - 19% had a diagnostic scan
 - · 24% were initiated on osteoporosis therapy

Goode J et al. J Am Pharm Assoc. 2004; 44; 2:152-60

HTN Management: RCTs

Community pharmacy-based MTM

- · Pharmacist management of pts w/ DM & HTN
- · % pts at goal blood pressure
- \$\pm\$ 20.0% to 6.67% in the control group
- ↑ 16.0% to 48.0% in MTM group

Physician/pharmacist collaboration

- Effect on mean BP from baseline to 6-month follow-up
- ↓ by 6.8/4.5 mmHg in control group
- \downarrow by 20.7/9.7 mmHg in collaborative care group

de Oliveira R. J Manag Care Pharm. 2010;16(3):185-95

HTN: Telemonitoring & Pharmacist Management

- · Cluster randomized clinical trial
- N=450
 - Usual care (n=222)
 - Telemonitoring and Pharmacist management (n=228)
- Duration: 12 months intervention & 6 months follow-up
- · Telemonitoring intervention
 - · Pt received home BP telemonitors
 - Transmitted data to pharmacists who adjusted antihypertensive therapy

Margolis KL, et al. JAMA. 2013;310(1):46-56.

HTN: Telemonitoring & Pharmacist Management

	Telemonitoring Intervention		Usual Care		Differential Change	
	No. of Patients	% (95% CI)	No. of Patients	% (95% CI)	From Baseline, % (95% CI)	P Value ^a
Composite BP control						
At 6 and 12 mo	113	57.2 (44.8-68.7)	58	20.0 (22.2-27.8)	27.2 (13.4-40.0)	.001
At 6, 12, and 18 mo	96	50.9 (36.9-64.8)	42	21.3 (14.4-30.4)	29.6 (13.1-46.0)	.002
BP control						7
At 6 mo	148	71.8 (65.6-77.3)	09	45.2 (39.2-51.3)	26.6 (19.1-33.1)	*.001
At 12 mo	1.41	71.2 (62.0-78.9)	102	52.8 (45.4-60.2)	18.4 (7.9-27.0)	.005
At 18 mo	135	71.8 (65.0-77.8)	104	57.1 (51.5-62.6)	14.7 (7.0-21.4)	.003

Home BP telemonitoring and pharmacist case management achieved better BP control compared with usual

Margolis KL, et al. *JAMA*. 2013;310(1):46-56

Diabetes


- Pharmacist-supervised Diabetes Treatment Clinic
- Intervention
 - BG values transmitted via phone or secure message
 - Pharmacists provide med management, frequent follow-up, and education
- Results: n=85 in 3 month review
 - Mean HbA1c ↓ by >1%
 - · No episodes of severe hypoglycemia
- Conclusion
 - Integration of a pharmacist into a multidisciplinary Patient-Aligned Care Team in a high-risk diabetic population was successful and is suggested to have a positive impact


Collier IA, Baker DM. Am J Health-Syst Pharm. 2014;71:27-36


Medicare Annual Wellness Visits

- Initial Medicare Annual Wellness visit (AWV) administered by clinical pharmacist practitioner (CPP)
 - · August 2011 May 2012
 - · 441 interventions during 98 visits
 - 4.5 interventions per AWV
 - All reimbursable up to a maximum of \$159.38 per visit
- Conclusion
 - Medicare AMV administered by a CPP resulted in a wide variety of patient interventions and reimbursement for services provided

Warshany K et al. Am J Health-Syst Pharm. 2014;71:44-9







The Evolving Role of the Pharmacist in the Healthcare System

Trisha Jordan, PharmD, MS
Associate Pharmacy Director
University Hospitals
Health-System Pharmacy Administration
Residency Coordinator
The Ohio State University Wexner Medical Center

Evolution of the Pharmacist's Role

- · Therapeutic medication monitoring
 - · Utilization of therapeutic levels
- · Parenteral Nutrition management
- · High risk medication consult
 - Anticoagulants
 - Pulmonary hypertension
- · Order set development
- Technology assessment
- Emergency Response





Pharmacist Role Medication Cost Control

- ·High cost targets
- Identify waste
 - ·IV bag size conversion
- ·IV to PO conversion
- Commercial to manual preparation
 - Extended dating for IV preparations
 - •JIT preparation for high cost medications
- Attending only ordering
- ·Formulary dosage review
- ·Formulary non-stock status



Pharmacist Role in Medication Assistance

- · Recommend therapeutic/generic alternatives
- · Provide drug information
- · Correspond with prescribers
- · Counsel patients
 - Medications
 - · Administration technique (i.e. enoxaparin)
- Keep current on Medicare and Medicaid coverage policies
- · Facilitate reimbursement for off-label indications
 - · Literature research and support
 - Appeals

Role of Medication Assistance Coordinator

- · Screen for assistance
- Coordinate benefits
- Enroll patients into programs
 - · Manufacturer assistance programs
 - · Disease-based assistance programs
 - · Medicare Part D prescription drug benefits
 - · Social Security
 - Low income subsidy
- Provide co-pay assistance for underinsured
- Provide vouchers for use of charity funds

Pharmacist Role in Core Measures

- · 44 core measures
 - · 22 (50%) medication related
- · Act as a resource to promote compliance
- Ensure documentation
 - · Pharmacist provide documentation
 - Analysis of charts with missing documentation
 - · Pharmacists prevented failure 96% cases
- Ensure all eligible patients receive necessary medications as soon as clinically possible

Olipharnt, CS J Pharm Pract. 2013 Dec 10

Role in the Emergency Department

- Pharmacist role
 - Medication Storage
 - Medication order intervention & adjustment
 - · Medication history
 - · Question resolution
 - Emergency response



· Antimicrobial stewardship



Creative Commons Attribution-ShareAlike 3 Unported

Antimicrobial Stewardship

- Optimize use of antimicrobials
- Positive outcomes in the inpatient setting
- Emergency
 Department (ED)
 patients not
 included in most
 programs



May L. Ann Emerg Med. 2012; Nov 2. Dellit T, et. al. Clin Infect Dis: 2007; 44:159-177.

ED Pharmacist-Managed Antimicrobial Stewardship

- · 47-bed, level 3 trauma center
- 80,000 visits annually
- · Retrospective evaluation of medical records
- ED physician vs. pharmacist managed culture review
- · Primary outcomes:
 - · Frequency of antimicrobial modifications
 - Occurrence of ED readmission within 96 hours

Randolph. Am J Health-Syst Pharm. 2011; 68:916-919.

ED Pharmacist-Managed Antimicrobial Stewardship

	Physician Reviewed	Pharmacist Reviewed
Number of culture reports	2278	2361
Number of antimicrobial modifications	12% (275/2278)	15% (355/2361)
Rate of readmission within 96 hours	19% (432/2278)	7% (165/2361)*

*p < .001

Randolph. Am J Health-Syst Pharm. 2011; 68:916-919.



Pharmacist Role in Medication Reconciliation

- National Patient Safety Goal 2006
- · Significant challenges to implementation
 - · Patient: cognitive
 - · Healthcare: time and personnel
- · Best strategy is still unclear
 - Incorporating pharmacist improved accuracy
 - · Cost and time prohibitive
 - · Target approach using alternative staff

Transitions of Care

- · New codes beginning in January 2013
 - Developed to address non face-to-face work required to coordinate services during care transitions
- 99495
 - Moderate complexity patient
- 99496
 - · High complexity patient

Transitional Care Coordination

- Contact with patient/caregiver within 2 business days of discharge
 - · Face-to-face, telephonic, electronic
 - Emphasis on <u>medication reconciliation</u>, activities of daily living, patient education, services needed by patient/family
- Face-to-face visit with physician within 7 or 14 days
- · Continued coordination for 30 days post-discharge

www.amda.com/advocacy/feeschedule.cfm?printPage=1&

Patient discharged • Discharge summary sent to PCP Physician review to determine complexity • Message sent to pharmacy to contact patient Pharmacist contacts within 2 business days • Assess patient; medication reconciliation; confirm appointments; document and send to PCP Patient scheduled for PCP appointment 7 or 14 days • Review pharmacy note; focus on hospitalization

Transitions of Care

- 3 rural Wisconsin pharmacies performing medication reconciliation post-discharge
 - Pharmacist schedule one-on-one counseling with patients
 - N=60
 - At least 1 medication discrepancy during transitions of care for 95% patients
 - · New medication started
 - · Dosing changes
 - · Medication stopped


Freund JE, et. al. Innovations. 2013; 4(2):117

Transitions of Care

- · University of Kansas
 - October 2012: Pharmacy practice model with HF emphasis
 - Pharmacy medication reconciliation at admission and discharge
 - · Intensive discharge counseling
 - Pharmacist: Patient 1:30 (non-ICU)
 - · Pharmacist in HF clinic
 - 30-day readmission rate dropped from 22.6% to 14.7%
 - Targeting HF, MI, pneumonia, and COPD patients

http://www.ashp.org/menu/News/PharmacyNews/NewsArticle.aspx?id=3860


Evolution of Pharmacy Practice



Evolution of Pharmacy Practice

- Collaborative Drug Therapy Management (CDTM)
 - · Agreement between a physician & pharmacist
 - · Defined scope of practice
 - Settings
- · Indian Health Services
 - · Consultation rooms
 - Monitoring protocols
 - · Pharmacy practitioner training program
- New Mexico
 - · Pharmacist Prescriptive Authority Act
 - · Meet identified need

Monolakis, et. al. Am J Pharm Educ. 2010 December 15; 74(10): S7.




Veterans Affairs Medical Centers

- · Veterans Affairs Medical Centers
 - Clinical Pharmacist Specialists (CPSs)
 - · Mid-level providers similar to NP/PAs
 - Protocols allow for:
 - Initiation, modification and discontinuation of medications
 - · Order and review lab tests
 - Administer medications
 - Provide preventative services
 - · Perform limited physical exams

North Carolina

- Pharmacists with additional licensure can provide higher level of care for patients
 - Prescriptive authority, can apply for DEA
- Only North Carolina's FORM program is solely pharmacy based, with pharmacy providers receiving a professional service fee per patient per quarter
 - 3rd parties manage MTM programs
 - Accepts patients taking more than 11 medications each month
- Obtaining reimbursement for their non-dispensing services is a challenge

Daigle L. ASHP 20081-8;.



California

- SB 493
 - · Series of 4 laws to address provider shortage
 - · Pharmacist as providers
 - · Expansion of Medi-Cal program
 - · Advanced Practice Pharmacist
 - Requires
 - Certification
 - · Post graduate residency training
 - · Year experience with CDTM

http://www.californiahealthline.org/capitol-desk/2013/8/panel-oks-amended-mid-level-provider-bills

California

- · SB 493 Scope of Practice
 - Administer drugs and biologics when ordered by a prescriber
 - Order and interpret tests for the purpose of monitoring and managing the efficacy and toxicity
 - Consult, train, and provide education about drug therapy and disease prevention and management
 - Provide travel recommendations per the CDC
- Provisions that may be approved later this year:
 - Initiate, adjust, and discontinue drug therapy pursuant to an order by a patient's treating prescriber and in accordance with established protocols

http://www.californiahealthline.org/capitol-desk/2013/8/panel-oks-amended-mid-level-provider-bills

Nationally

- Social Security Act
 - Definition of a healthcare provider
 - · MD, NP, RD, OD, social worker
 - Provider = Reimbursement
- May 16, 2012 CMS published a rule expanding the definition of medical staff
 - · Pharmacists included
 - Allows non-physician providers to have privileges
 - Can request formal privileges
 - Extent of privileges are based on training and scope of practiced

Yap, Diana. CMS Expands Hospital Medical Staff Concept to Include Nonphysicians. APhA. June 6, 2013.

Credentialing and Privileging

- TJC
 - Allows for non-physician providers to be appointed
 - Privileges must be within scope defined by
 - Once granted practitioner is bound by bylaws
- Historically
 - · Pharmacists have not participated
 - · Practice determined by state law

1) Blair M, et. al. *Am J Health-Syst Pharm.* 2007;64:2372-81 2) Galt,K. *Am J Health-Syst Pharm.* 2004;61:661-70

Ohio Law - ORC:4729-39

- Ambulatory consult agreement
 - Separate agreement for each individual for a specific diagnosis
 - · Agreement must be in writing
 - · Agreement between MD, RPh and patient
 - Before making any changes the pharmacist must attempt to contact and confer with the MD
 - Pharmacist must send a written report of all actions taken
 - · Consult may be terminated at any time

Ohio Law - ORC:4729-39

- · Institutional consult agreement
 - · Policy must be in place
 - Agreement must be in writing and consistent with hospital's policy on consult agreements
 - Agreement must be communicated to the patient
 - Actions must be documented in the medical record
 - Communications between the pharmacist and physician must take place
 - Consult may be terminated by any party at any time

Ohio Law - OAC:4729-29

- Institutional policy for consult agreement must include
 - Appropriate credentialing process for each pharmacist
 - Delineation of pharmacist scope of practice via privileges
 - · Quality assurance mechanism

Current Ohio Legislation – SB 240

- ORC: 4729-01
 - Consult agreement would be expanded to one or more physician
- · ORC: 4729-39
 - · Would allow pharmacists to:
 - · Manage individual drug therapy
 - · Order blood tests
 - · Eliminate burdensome paperwork
 - Eliminate need for consult policies in institutional settings

Legislation in Ohio toward Expanding Roles

- SB 79: Immunization expansion: Allowing pharmacists and pharmacy interns to administer all CDC-recommended vaccines to patients who are seven years or older
 - · Rabies vaccine
- HB 44: Pharmacists and pharmacy interns could dispense limited quantities of drugs without a written, oral or electronic prescription during a declared public health emergency.

Payer Recognition of Pharmacists

- State Medicaid programs recognize pharmacists as providers
 - 9 states are experimenting (including Ohio)
 - Provide MTM services to select patients
 - Goal to improve outcomes and lower cost
- · Share key characteristics
 - · Pharmacist based
 - · CPT billing
 - Most created with College of Pharmacy faculty

Daigle L. ASHP 20081-8;.

State of Ohio Health Programs

- Ohio's MTM program is operated by Bureau for Children with Medical Handicaps
 - · Commenced in 2004
 - · Physician prescribes services
 - 1500 eligible patients with either asthma or disheres.
- Ohio's RxEaze program is operated by Molina Healthcare, Inc
 - Polypharmacy MTM services
 - · 5 or more chronic medications
 - 400 patients in pilot program

Daigle L. ASHP 20081-8;.

"The role of the pharmacist has shifted from the classical 'lick, stick, and pour' dispensary role, to being an integrated member of the health care team directly involved in patient care."